Journal of MOLECULAR BIOLOGY

EDITOR-IN-CHIEF
J. C. KENDREW

ASSISTANT EDITOR
S. BRENNER

EDITORIAL BOARD
R. L. Baldwin
E. P. Geiduschek
H. E. Huxley
O. Maaløe
B. Magasanik
M. Meselson
A. Novick
R. L. Sinsheimer
J. D. Watson
M. H. F. Wilkins

VOLUME 14
November to December 1965

ACADEMIC PRESS
LONDON and NEW YORK

Copyright © 1965, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any
form, by photostat, microfilm, or any other means,
without written permission from the publishers.

Printed in Great Britain

66-46540

CONTENTS OF VOLUME 14

QH301
J7
v.14

Number 1, November 1965

Latham, H. and Darnell, J. E., Distribution of mRNA in the Cytoplasmic Polyribosomes of the HeLa Cell 1

Latham, H. and Darnell, J. E., Entrance of mRNA into HeLa Cell Cytoplasm in Puromycin-treated Cells 13

Piérard, A., Glansdorff, N., Mergeay, M. and Wiame, J. M., Control of the Biosynthesis of Carbamoyl Phosphate in *Escherichia coli* . . . 23

Gersonde, K., Seidel, A. and Netter, H., Elektronenstruktur der prosthetischen Gruppe und Tertiärstruktur in Hämoproteiden. II. Magnetische und spektrale Eigenschaften des 3-wertigen Pferdehämoglobins und -myoglobins unter dem Einfluß von Laurylpyridiniumchlorid . . . 37

Boyle, J. M., Ritchie, D. A. and Symonds, N., Density-gradient Separation of Host-modified Bacteriophage T2 48

Farnham, A. E. and Dubin, D. T., Effect of Puromycin Aminonucleoside on RNA Synthesis in L Cells 55

Marcker, K., The Formation of N-Formyl-methionyl-sRNA . . . 63

Asano, K., Size Heterogeneity of T2 Messenger RNA 71

Ikeda, H. and Tomizawa, J., Transducing Fragments in Generalized Transduction by Phage P1. I. Molecular Origin of the Fragments . . . 85

Ikeda, H. and Tomizawa, J., Transducing Fragments in Generalized Transduction by Phage P1. II. Association of DNA and Protein in the Fragments 110

Ikeda, H. and Tomizawa, J., Transducing Fragments in Generalized Transduction by Phage P1. III. Studies with Small Phage Particles . . 120

Okubo, S. and Romig, W. R., Comparison of Ultraviolet Sensitivity of *Bacillus subtilis* bacteriophage SPO2 and its Infectious DNA 130

Blasie, J. K., Dewey, M. M., Blaurock, A. E. and Worthington, C. R., Electron Microscope and Low-angle X-ray Diffraction Studies on Outer Segment Membranes from the Retina of the Frog 143

Signer, E. R., Beckwith, J. R. and Brenner, S., Mapping of Suppressor Loci in *Escherichia coli* 153

GAREN, A., GAREN, S. and WILHELM, R. C., Suppressor Genes for Nonsense Mutations. I. The *Su-1*, *Su-2* and *Su-3* Genes of *Escherichia coli* . . 167

REITER, H. and STRAUSS, B., Repair of Damage induced by a Monofunctional Alkylating Agent in a Transformable, Ultraviolet-sensitive Strain of *Bacillus subtilis* 179

COMB, D. G., KATZ, S., BRANDA, R. and PINZINO, C. J., Characterization of RNA Species synthesized during Early Development of Sea Urchins . 195

SHAPIRO, L. and AUGUST, J. T., Replication of RNA Viruses. III. Utilization of Ribonucleotide Analogs in the Reaction catalyzed by a RNA Virus RNA Polymerase 214

WELLS, R. D., OHTSUKA, E. and KHORANA, H. G., Studies on Polynucleotides. L. Synthetic Deoxyribopolynucleotides as Templates for the DNA Polymerase of *Escherichia coli*: A New Double-stranded DNA-like Polymer containing Repeating Dinucleotide Sequences 221

Appendix: DOERFLER, W. and HOGNESS, D. S., Separation of the Strands of Poly d-TG:AC in Alkaline CsCl 237

HENSHAW, E. C., REVEL, M. and HIATT, H. H., A Cytoplasmic Particle bearing Messenger RNA in Rat Liver 241

MCCONKEY, E. H. and HOPKINS, J. W., Subribosomal Particles and the Transport of Messenger RNA in HeLa Cells 257

FREIFELDER, D. and KLEINSCHMIDT, A. K., Single-strand Breaks in Duplex DNA of Coliphage T7 as Demonstrated in Electron Microscopy . . 271

Letters to the Editor—

FRASER, R. D. B. and SUZUKI, E., Polypeptide Chain Conformation in Feather Keratin 279

FEISS, M. and DEMOSS, R. D., Protein Synthesis and Ribosome-bound Tryptophanase 283

HAMERS, R. and HAMERS-CASTERMAN, C., Molecular Localization of A Chain Allotypic Specificities in Rabbit IgG (7 s γ-globulin) . . 288

NEWTON, W. A., BECKWITH, J. R., ZIPSER, D. and BRENNER, S., Nonsense Mutants and Polarity in the *Lac* Operon of *Escherichia coli* . . 290

LOWY, J., Structure of the Proximal Ends of Bacterial Flagella . . 297

BOURGEOIS, S., COHN, M. and ORGEL, L. E., Suppression of and Complementation among Mutants of the Regulatory Gene of the Lactose Operon of *Escherichia coli* 300

Erratum 303

Announcement 304

HAYWOOD, A. M. and SINSHEIMER, R. L., The Replication of Bacteriophage MS2. V. Proteins Specifically Associated with Infection 305

BURTON, A. and SINSHEIMER, R. L., The Process of Infection with Bacteriophage ϕX174. VII. Ultracentrifugal Analysis of the Replicative Form . 327

SINSHEIMER, R. L., LAWRENCE, M. and NAGLER, C., The Process of Infection with Bacteriophage ϕX174. VIII. Centrifugal Analysis in Alkaline Media of the RF DNA at Various Stages of Infection 348

POTTER, M., APPELLA, E. and GEISSER, S., Variations in the Heavy Polypeptide Chain Structure of Gamma Myeloma Immunoglobulins from an Inbred Strain of Mice and a Hypothesis as to Their Origin . . . 361

VAZINA, A., FRANK, G. and LEMAZHIKHIN, B., A Study of Concentrated Solutions and Gells of Actin by X-ray Diffraction 373

WALKER, I. O., Electrometric and Spectrophotometric Titration of Histone and Deoxyribonucleohistone 381

BODE, V. C. and KAISER, A. D., Changes in the Structure and Activity of λ DNA in a Superinfected Immune Bacterium 399

CUMMINGS, D. J., CHAPMAN, V. A. and DELONG, S. S., An Electron Microscopic Study of λ and λdg Bacteriophage in Thin Sections . . . 418

FRASER, R. D. B., HARRAP, B. S., MACRAE, T. P., STEWART, F. H. C. and SUZUKI, E., Sequential Polypeptides containing S-Benzyl-L-cysteinyl and γ-Ethyl-L-glutamyl Residues 423

FRASER, R. D. B., MACRAE, T. P. and MILLER, A., X-Ray Diffraction Patterns of α-Fibrous Proteins 432

SLAYTER, E. M., An Electron Microscope Study of the Conformational Change in Bovine Serum Albumin at Low pH 443

ORGEL, A. and ORGEL, L. E., Induction of Mutations in Bacteriophage T4 with Divalent Manganese 453

FISCHBACH, F. A. and ANDEREGG, J. W., An X-Ray Scattering Study of Ferritin and Apoferritin 458

SCHACHTELE, C. F. and ROGERS, P., Canavanine Death in *Escherichia coli* . 474

MARCOT-QUEIROZ, J. and MONIER, R., Interactions between RNA's from *Escherichia coli* Ribosomes 490

LEVIN, D. H. and LITT, M., Studies on the Secondary Structure of Soluble Ribonucleic Acid containing 8-Azaguanine 506

HAYASHI, S. and LIN, E. C. C., Product Induction of Glycerol Kinase in *Escherichia coli* 515

Weigert, M. G., Lanka, E. and Garen, A., Amino Acid Substitutions resulting from Suppression of Nonsense Mutations. II. Glutamine Insertion by the *Su-2* Gene; Tyrosine Insertion by the *Su-3* Gene . . . 522

Kaplan, S., Stretton, A. O. W. and Brenner, S., *Amber* Suppressors: Efficiency of Chain Propagation and Suppressor Specific Amino Acids . 528

Bodmer, W. F., Recombination and Integration in *Bacillus subtilis* Transformation: Involvement of DNA Synthesis 534

Mitra, S. and Kaesberg, P., Biophysical Properties of RNA from Turnip Yellow Mosaic Virus 558

Holmes, K. C. and Monro, R. E., Studies on the Structure of Parasporal Inclusions from *Bacillus thuringiensis* 572

Letters to the Editor—

Signer, E. R., Attachment Specificity of Prophage *λdg* 582

Jordan, B. J. and Speakman, P. T., Hydrogen-bonding within the Tropocollagen Triple Helix 586

Finch, L. R., Adaptation to Amino Acid-analogues 591

Crawford, L. V., Crawford, E. M., Richardson, J. P. and Slayter, H. S., The Binding of RNA Polymerase to Polyoma and Papilloma DNA 593

Haggis, G. H., The Iron Oxide Core of the Ferritin Molecule . . . 598

Scarano, E., Iaccarino, M., Grippo, P. and Winckelmans, D., On Methylation of DNA during Development of the Sea Urchin Embryo 603

Sato, K. and Matsushiro, A., The Tryptophan Operon regulated by Phage Immunity. 608

Spirin, A. S., Belitsina, N. V. and Lerman, M. F., Use of Formaldehyde Fixation for Studies of Ribonucleoprotein Particles by Caesium Chloride Density-gradient Centrifugation 611

Yamane, T., Correlation between Aminoacyl-sRNA Pool and Amino Acid Composition of Proteins 616

Bissell, D. M., Formation of an Altered Enzyme by *Escherichia coli* in the Presence of Neomycin 619

Franklin, R. M. and Granboulan, N., High-resolution Autoradiography of Bacteria labelled with Tritiated Uridine 623

Harrison, P. M. and Gregory, D. W., Evidence for the Existence of Stable "Aggregates" in Horse Ferritin and Apoferritin . . . 626

Harris, J. I. and Polgár, L., Amino Acid Sequence around a Reactive Lysine in Glyceraldehyde 3-phosphate Dehydrogenase 630

Bretscher, M. S., Goodman, H. M., Menninger, J. R. and Smith, J. D., Polypeptide Chain Termination using Synthetic Polynucleotides . 634

Sigler, P. B. and Blow, D. M., A Means of Promoting Heavy-atom Binding in Protein Crystals 640

Erratum 645

Index to Volume 14 647


Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-molecular-biology_1965_14_contents

INSTRUCTIONS TO AUTHORS

1. The *Journal of Molecular Biology* will publish papers on the nature, production and replication of biological structure at the molecular level, and its relation to function. Suitable subjects are sub-cellular organization: molecular genetics: structure and replication of viruses: molecular structure of muscle, nerve and other tissues: structure of proteins, nucleic acids, carbohydrates, lipids, etc., and their synthetic analogues, as investigated by X-rays, light absorption and other methods: problems of inter- and intra-molecular energy transfer. The Journal will not as a rule publish papers when the subject matter is outside the fields defined above; however, when the subject matter borders on molecular biology and is of special interest in relation to molecular biology such papers may be published when space permits.

2. The Journal will also publish Letters to the Editor (averaging 1000 words), and occasional review articles dealing with a more restricted or immediately topical field than those in review journals. (The Editor should be consulted in advance by anyone who considers submitting such a review.)

3. Communications will often describe results obtained by specialized techniques (for example, those of X-ray crystallography and of genetics), and it is most important that technical terms should be avoided or be clearly defined; in any event the actual results obtained and their implications should be described in a way which does not demand from the reader specialized knowledge of a particular technique.

Papers should contain the maximum density of information compatible with clarity, and every sentence should be scrutinized to ensure that its presence is essential. Authors should include enough experimental details to enable others to repeat the work (these may be printed in small type). Careful preparation of manuscript will aid prompt publication; carelessness will cause delay.

4. *Submission of Manuscripts.* Manuscripts should be sent to Dr. J. C. Kendrew, Peterhouse, Cambridge, England, or to any member of the Editorial Board. The submission of manuscript will be taken to imply that the material is original, and that no similar paper has been or will be submitted for publication elsewhere.

Papers will normally be published in English. Manuscripts in French or German will also be accepted, though the use of these languages may cause delay in publication.

5. *Copy.* Papers should be typewritten in double spacing *throughout* (including tables, legends and footnotes), on one side of quarto paper, with a margin of 1 inch all round. The position of tables and illustrations should be indicated in the text; tables and legends for illustrations should be typed separately at the end of the manuscript. All pages should be numbered serially and securely fastened together. Two copies of each manuscript should be submitted, together with three copies of the summary (see § 6).

A short running title of not more than 40 characters (including spaces), suitable for page headings, should be indicated if the full title is longer than this.

The name of the laboratory where the work has been done should be indicated on the title page. All typescript (including the references) should be carefully checked for errors.

6. *Summary.* A summary will be printed at the head of all papers (excluding Letters to the Editor); this should generally not exceed 300 words, and should be intelligible to the general reader without reference to the main text. Abbreviations should be avoided. Summaries of papers to be printed in French or German will be in English, and should be longer (up to 1000 words) for the benefit of readers not familiar with these languages.

7. *Conventions.* The conventions used in current issues of the Journal for headings, references, etc., should be followed in preparing manuscripts. References should be listed alphabetically at the end of the paper, and abbreviated according to the *World List of Scientific Periodicals*, except that for periodicals with English names capital initial letters should be used throughout. Citations in the text should read thus: Smith, Brown & Robinson (1957), or (Smith, Brown & Robinson, 1957). When a citation has more than two authors, the names of all of them should be given at the first citation (except for more than five authors), and on subsequent citations thus: (Smith *et al.*, 1957). The conventions (Brown, 1957*a*), (Brown, 1957*b*) should be used where more than one paper by the same author(s) has appeared in one year. Volume number should be indicated in the typescript thus: **35**.

Footnotes should be avoided whenever possible. Essential footnotes should be indicated by superscript figures in the text and collected on a single page placed at the end of the manuscript.

Customary abbreviations will be used; authors may refer to *Chemical Abstracts*, to the *Biochemical Journal*, **66**, 8 (1957), and to *Notes on the preparation of papers to be communicated to the Royal Society* (1951). Certain non-standard abbreviations of chemical substances are convenient, and those listed in the *Journal of Biological Chemistry* may be used without further definition (e.g. DNA, ATP). Any other abbreviations of this kind should be used sparingly, and must be defined in a footnote at the point in each manuscript where the first such abbreviation occurs.

8. *Illustrations.* It is often convenient to make a *drawing* two or three times larger than it will

appear in the Journal, but very large drawings should be avoided and it will be helpful if drawings and illustrations are submitted on quarto (or 8½ by 11 inch) sheets. Drawings should be made in Indian ink on tracing linen, Bristol board, or faintly blue-lined graph paper; the originals should always be submitted with the manuscript, since photo-prints of drawings often cannot be reproduced satisfactorily. Explanations should, as far as possible, be placed in the legend; the drawing itself should contain a minimum of lettering, and this should be inserted lightly in *blue pencil*, in lower case except for proper names, when a capital should be used. It should be remembered that drawings will be reduced to a size not exceeding 8 by 5 inches, and that the final thickness of the lines should be 0·25 to 0·3 mm. If a curve is given merely for illustrative purposes no cross-lines are needed, but the axes should be graduated at intervals, and the diagram should be boxed in. Where possible, related diagrams should be grouped to form a single figure, and should be prepared uniformly and *on the same scale*. Where appropriate and possible a scale should be included in the illustration itself; the magnification may be noted in the legend and ajdusted after reduction by the blockmaker.

Whenever possible *photographs* should be supplied the same size as they are to appear in the Journal. The page area available for a plate is 5 by 7 inches or, at the most, 6 by 8 inches.

Line drawings will be referred to as Figure 1, Figure 2, etc., and half-tone blocks as Plate I, Plate II, etc. The name(s) of the author(s) and the number should be written on all illustrations, together with the indication "Top" if necessary. Besides the original illustrations *one* duplicate set must accompany the second copy of the manuscript; these may be photo-prints, and need not be of the same quality as the originals but must be clear and legible. If *oversize* original drawings are submitted (bigger than 8½ by 11 inches) they must be accompanied by *two* sets of small photo-prints.

9. *Reprints*. Fifty reprints of each paper will be supplied free of charge; additional copies may be purchased.